



# TRIBAL GOLD

TRIBAL
GOLD
IS THE
ULTIMATE
SELECTIVE
HERBICIDE
FOR EARLY
CONTROL OF
BROADLEAF
WEEDS IN
NEW AND
ESTABLISHED
PASTURES.



Tribal Gold is the ultimate selective herbicide for early control of broadleaf weeds in new and established pasture that contains 300g/L MCPB, 20g/L MCPA and 10g/L Flumetsulam as the DMA salts. Tribal Gold's wide spectrum of control includes a number of problem weeds including buttercup, chickweed, creeping yellow cress, hedge mustard, shepherd's purse and mallows.

#### **KEY FEATURES**


- > Controls a wide spectrum of broadleaf weeds.
- > Is suitable to use in both new and established pasture.
- > Clover and grass friendly allows early weed control without knocking around the pasture.
- > Is a convenient all in one pre-mix, liquid formulation making it easy to measure, mix and use.
- > 2 hours rainfast.



#### **DEVELOPMENT OF TRIBAL GOLD**

Tribal Gold contains a unique co-formulation of MCPA, MCPB and Flumetsulam which was developed specifically for NZ pastoral farmers after Nufarm discovered a common trend in weed species in pasture renewal programmes. Local trials showed this combination of active ingredients consistently provided the highest level of early broadleaf weed control in new pasture prior to the first grazing. The key difference with Tribal Gold over other MCPA/MCPB mixed formulations is the broader weed spectrum. By combining Flumetsulam in the mix, Tribal Gold controls a large number of additional seedling weeds that are not typically controlled by traditional formulations.

#### % Broadleaf weed control 5 weeks after treatment



# OUTSTANDING WEED CONTROL

Tribal Gold gives outstanding broadleaf weed control in new pastures. Seedling weeds controlled include: buttercups, black nightshade, chickweed, cleavers, docks, fathen, fleabane, hedge mustard, mayweed, mallow, plantain, redroot (amaranthus), shepherd's purse, spurrey, storksbill, thistles, twin cress, willow weed and wireweed.






Treated Untreated

## **WEEDS CONTROLLED**

WEED	RATE/HA	NOTES
Chickweed, cleavers, fathen, fleabane, hedge mustard, mallow, plantain, redroot, shepherd's purse spurrey, wild radish	4L	Controlled as seedlings
Annual buttercup, creeping yellow cress, Scotch thistle, yellow gromwell	4L	Apply before flowering
Black nightshade, giant buttercup, twin cress	4-5L	Controlled as seedlings. Useful suppression of older stages.
Thistles - nodding, winged, variegated	5L	Controlled as seedlings. Useful suppression of older stages.
Californian thistle	5L	Treat at flower bud stage before flowers open.
Cornbind, docks, nettles, sorrel, sow thistle, stinking mayweed, storksbill, wild turnip, willow weed, wire weed	5L	Controlled only as seedlings.
Field pansy, henbit, oxeye daisy	5L	Apply to young seedlings, suppression only

#### **HOW TRIBAL GOLD WORKS**

Tribal Gold contains 300g/L MCPB, 20g/L MCPA and 10g/L flumetsulam. These active ingredients are absorbed through the foliage and translocated to the growing points where they interfere with cell division and enlargement. Weed vigour declines and subsequent death occurs.



#### **USING TRIBAL GOLD**

CROP	RATE/HA	NOTES
Pasture	4-5L in 100-300 litres water Always add Bonza® at 500ml/100 litres water	Apply when clover has at least 2 trifoliate leaves, and weeds are still at the seedling stage.

#### **Mixing**

Pour the measured quantity of Tribal Gold into the partially filled spray tank and with the agitator running top up with the remainder of the water. Add the correct amount of Bonza when the tank is nearly full. Maintain agitation during spraying.

#### **Application**

Apply when clover has at least 2 trifoliate leaves, and weeds are still seedlings. This will typically be about 3-6 weeks after sowing. Weeds must be actively growing when sprayed (i.e. soil temperatures above 10°C and not under stress from drought or water logging). Ensure complete spray coverage of the weeds for best results.

#### **Rainfastness**

Tribal Gold has a 2 hour rainfree period so do not spray if you are expecting rain within 2 hours after application.

#### Withholding Period


Do not graze treated pasture for 14 days after treatment.

#### **Pack Sizes**

Available in 20L & 200L packs.

#### **EXCELLENT WEED CONTROL**

#### % control 9 weeks after treatment




Trial NUNZ1310 Canterbury


# **EXCELLENT CLOVER SAFETY**

Tribal Gold displays outstanding weed control without killing young clovers. Some temporary clover suppression may occur, but recovery is rapid.

## White clover plants/m<sup>2</sup> 3 weeks after treatment



# **Clover Vigour 3 weeks after treatment**



Trial NUNZ1383 Canterbury

