



## **FUSILADE MAX<sup>®</sup>** Grass weed control in potatoes

In the post-diquat era, previously reliable potato weed control strategies may need a rethink.

With residuals and alternative contact BLW herbicides likely applied earlier than previously, later emerging grasses and cereal volunteers will require a proven graminicide with rate flexibility to match species and size.

### Key benefits

- ✓ Robust, reliable control of annual and perennial grass weeds and volunteer cereals.
- ✓ Advanced “Isolink” technology delivers greater uptake of active ingredient into target leaf.
- ✓ **No additional wetter required.**
- ✓ Wide weed spectrum including wild oats, ryegrass and brome.
- ✓ Can be use on all varieties of potatoes across all soil types.
- ✓ Approval for both seed & ware potatoes.

### Application

- FUSILADE MAX works on contact with the target weed leaf – best results are achieved from applications made to **small, actively growing weeds**.
- Apply when access to the target is still good, before row closure to obtain sufficient coverage.
- Applications must be made before flowering and tuber initiation and at least **90 days before harvest**.
- **The maximum application rate** of FUSILADE MAX on potatoes is **2.0 l/ha** (single application per crop).

Rates & timings	
<b>Volunteer cereals</b>	<b>0.4 - 0.5 l/ha</b> [lower rate at 2-3 leaf stage]
<b>Wild oats</b>	<b>0.4 - 0.6 l/ha</b> [lower rate at 2-3 leaf stage]
<b>Brome (sterile), Ryegrass (perennial or Italian)</b>	<b>1.0 - 1.5 l/ha</b> [higher rate will give more reliable control of tillering weeds]
<b>Couch</b>	<b>1.5 - 2.0 l/ha</b> [control levels may vary from suppression to complete control according to length & fragmentation of rhizomes, target leaf area & spray coverage]

### Experience suggests...

...it is best to **avoid tank-mixes containing both graminicides and blight sprays** – ideally leave at least 72 hours between applications.

### FURTHER INFORMATION

Nufarm Technical updates are eligible for 1 BASIS CPT/year Ref: CP/112075/2122/g. Email claim to linda@basis-reg.co.uk

Fusilade Max contains fluazifop-P-butyl.

Fusilade Max is a trademark of Nufarm UK Ltd.

Details of application rates and timings are given in Nufarm labels and product literature, both of which can be accessed from our website [www.nufarm.com/uk](http://www.nufarm.com/uk). Alternatively, ring the Nufarm helpline on 01274 694714, Monday to Friday 9.00 - 17.00

Use plant protection products safely. Always read the label and product information before use. For label and safety information, refer to the Nufarm website [www.nufarm.com/uk](http://www.nufarm.com/uk). Nufarm UK Ltd, Wyke Lane, Wyke, Bradford, BD12 9EJ.

